





PLANETMIXER SERIES

PRESSURIZED-VERTICAL MIXING SYSTEM



PLANETMIXER® 120



PLANETMIXER® 200



PLANETMIXER® 300



PLANETMIXER®
400



PLANETMIXER® 600



PLANETMIXER® 800

Heavely designed to sadisfy every different production need

GORRERI PLANETMIXER SERIES.


The essential and versatile Italian Technology to simplify, optimize and speed up the preparation of every kind of dough.

GORRERI PLANETMIXER

SERIES is the solution to all those producers whose needs are *versatility*, preparation speed-up and the guarranty of an *high-value final product*.

Fast and versatile for a wide variety of dough and products





GORRERI PHILOSOPHY

- Optimize is better than wasting space and time
- Clean is better than dirt
- Easy is better than hard
- Neat is better than disorganized

GORRERI ADDED VALUE


- Italian High-Technology
- Orreri's 55 years of experience
- Best components on the market
- Olean, simple and essential design

REDUCED HEIGHT

Each machine is composed of a monolithic frame and it is the only pressurized mixer on the market with motors integrated inside the structure to guarantee durability, compactness and more cleanliness of the surfaces and to prevent contamination with dust, water or moisture.

UNIQUE FOR

- Speed
- Compactness
- Integrated motors
- Monolithic stainless steel structure
- Pressurization
- Double Frequency Converter
- Perfect sanitation
- Perfect balance to avoid vibration and oscillation
- Noiseless



Ideal for the preparation of custard, whipped cream and fillings of almost any kind



PLANETMIXER SERIES











Sponge

and glaze

take La Ilazed ca

er e

istard e

products





Gorreri Planetmixer Series is the results of 55 years of experience and each single part of the machine is thought to guarantee durability, speed, noiseless and optimization of the production process.





NUMBERS THAT MAKE THE DIFFERENCE

Gorreri Planetmixer Series is the only Planetary

Mixer with double frequency converter to

severaly control the drive of the main motor

and the drive to lift and to lower the bowl to

speed up each operation*.

*Available for planetmixer 300 L Deluxe, 400 L, 600 L e 800 L.


92%

Is the guaranteed trasmission efficiency to give tools very high torque.



Increase of production output compared with others planetary mixers.





the motors inside the structure that guarantees absence of vibrations and oscillation during the processing even of the hardest dough.

completely sealed-head equipped with strong gears working in an oil bath (FDA certified "Food Grade" Oil).







Mixing head made entirely of stainless steel and designed to work any type of dough and to be washed and sanitized in a simple and easy way.



Upper part of the machine completely closed and divided into two parts to facilitate disassembly.



Control panel with Touchscreen PLC on a movable swing arm made of stainless steel AISI 304.



Utilities inputs from above to have all the perimeter surfaces easily cleaned and without deposit points.




Inside of the the fixed bell studied to be automatically washed using hydrodynamic heads to avoid the stagnation of powders or water after washing.



WHISKS AND TOOLS



15 different and easily interchangeable tools to mix perfectly every different dough and batter, liquid, raw, viscous, with chocolate chips, pieces of fruit, with or without gluten.





Whisks and motor gear work together to guarantee a complete scraping of the bowl avoiding product collection on the bottom and guarantee perfectly well amalgamated doughs.



GORRERI PLANETMIXER OPTIONAL EQUIPMENTS

High-tech and innovative facilities and optionals to optimize and improve different production needs.



DELUXE version

Each Gorreri Planetmixer is available in **DELUXE Version with electric board and touch screen PLC**lodged in a stainless steel separate cabinet.

Drip-catching plate for whisks



Bowl

In addition to the standard Stainless steel AISI 304 standard bowl, Gorreri produces a wide range of different bowls:

- Bowls with manual valve to discharge the washing water.
- Stiffened Bowls with manual valve to discharge both the washing water and the product.
- Double-wallet bowl for the circulation of hot or cold wather
- Double jacketted bowl for steam heating
- Double jacketed bowl for steam heating and cooling by the recirculation of chilled water.

The bowls can be heated with hot water, steam or by an electronic device while the cooling can be made both with cool water or with CO₂ directly into the product.

Manual uploading of the ingredients

Each Planetmixer can be equipped with a frontal or back-side system to **uplaod ingredients during the mixing process.**

Automatic uploading of the ingredients

Equippep with:

- Stainless steel DN100 feeding endless screw
- Pneumatic plate valve of large dimension.
- Electric material integrated in the main electric board of the machine
- Loading phases management in the recipe.



Automatic raw material uploading and downloading device



Automatic uploading of the ingredients

TO PRODUCE HIGH-VALUE PRODUCTS LIKE PATE-A-CHOUX, JAM, COOKED CREAM





The system it's designed for a fast and deep cooling of cooked products, a tube bundle heating exchanger served by cooling thermal solution condensate quickly the steam inside the bowl thanks to the effect of a vacuum pump, the product temperature decrease in a short time for product stabilizing and microbiological control.



Steam re-circulation into the jacketed bowl for product cooking

Steam circuit automatic coupling, possibility to modulate the steam pressure in accordance with the type of product to cook and process.



Steam re-circulation into the jacketed bowl for product cooking





Washing device

Different and high-tech washing device to guarantee a perfect sanification of your PlanetMixer.

- · Cip unit with mixing system for water and detergent
- · Idrodinamic washing system
- Electronically motorized washing heads
- Emptying and washing systems for discharging pipes
- · Pipes washing systems with centrifugal release pumps



Closing device for lifting screws to perfectty wash and sanify the external structur without damaging the lifting system

PRODUCT TRANSFER SYSTEMS

TRANSFER PUMPS

Transfer pumps for liquid dough, batter and cream.

Gorreri's piston transfer pump system has been engineered to satisfy the most different demands of transferring products with various viscosity. They are mainly divided in relation of the power and the transfer capability. Thanks to an air compressed motor and an alternate movement, it is possible to easy transfer creams, fillings products, eggs, melted cheeses, jams, sauces and other liquids at a maximum speed of 100 liters per minute even in presence of particles. Our pumps have a maximum output: 2 liters per stroke with 50 strokes per minute.

Furthermore, all the components have been realized for the maximum usability granting, by means of fast clamps, a rapid and easy dismantling also to allow inspections and internal periodical cleanings.



Standard manual lifting

Pneumatic lifting available as optional



Automatic product download from the mixing bowl with different solution.

Large exit valve controlled pneumatically, connected to different pumping system as, positive reels pump, mono-pump, directly connected to the bowl or placed on the floor.

Ultrasound level sensor

Complet with pneumatic electro-valve (as optional)

	Transfer Pumps Range				
	Max strokes per minute	Max liters per minute			
PA 65 A-80	80	20			
PA 80 A-130	50	33			
PA 100 A-210	50	50			
PA 140 A-130	50	100			

Dimensions and further technical data: see last page





- Ideal to tranfer from the bowl to the hopper any batter, soft or medium, every dough or cream without altering theur integrety.
- These pumps are used to transfer any soft batter, dought, cream without altering its integrity.
- No. 4 different types of pumps (series 65, 80, 100 and 140) to choose from.
- Flexible suction and discharge hose to convey food products with stainless steel DIN or tri-clamp fittings. Standard length is 3 meters.

- This pump can be equipped also with the pressing lid.
- Pressing lid of the same shape and diameter of the bottom of bowl to guarantee the transfer of the whole batter.
- Complete transfer of all the product from the tray to the hopper.

BOWL LIFTERS

Unloading bowl systems by overturning on wheels or fixed to the floor.

Each bowl lifter has a motor lifting mechanic system by endless screw to guarantee silence, robustness and reliability in the future. Compatible with all Gorreri Planetmixer series bowls. Each bowl lifter can be equipped with scraping arm, safety electronic barriers, automatic overturning and temperature management system.

Creams ejector

Creams ejector with lifting system at double nut screw controlled by vector inverter and ejecting head made of stainless steel completed of polyurethane sealing lip with central exit of the product.













IA.		PLANETMIXER® UNPL series Planetary mixers						
		UNPL-120	UNPL-200	UNPL-300	UNPL-400	UNPL-600	UNPL-800	
Power installed kW		11+4	7,5+2,2	15+3	22+4	30+4	37+4	
Bowl capacity I		120	200	300	400	600	800	
Dimensions mm	Height	1975	2460	2795	3200	3500	3900	
	Depth	845	1022	1200	1690	2000	2000	
	Width	1412	1582	1930	2070	2300	2300	
Net weight Kg		980	2100	3050	3800	4900	5320	
Gross weight Kg		1200	2500	3450	4400	5600	5820	



T	Transfer pumps					
Is Is	PA 65 A-80	PA 80 A-130	PA 100 A-210	PA 140 A-130		
Dimensions mm	290	440	550	550		
Net weight Kg	200	300	400	400		
Gross weight Kg	4	5,5	7,5	7,5		

